

48

Over 95% of all orders are
on their way to you within
48 HOURS

IMPRESSIONS

DESIGNING NEW WORKING ENVIRONMENTS



48
Over 95% of all orders are
on their way to you within
48 HOURS

CONTENT	3	
SIT-STAND DESKS	5	
Basic1	7	Sliding door cupboards, tambour cupboards
Basic2	9	2/3 OH
Comfort1	11	Sideboard
Comfort2	13	2 OH
Design	15	Pedestals
Bluetooth/Memory	17	Mobile office organisation
Bluetooth	19	
MINI OFFICE	21	MEETING & BISTRO
Wall desk	23	Meeting Point Industrial
Desks Mini	25	Meeting Point Bistro
Sit-stand desk	27	Conference tables
		Meeting tables NEW
		Bistro and high tables
		Meeting table systems
		Folding tables
		Visitor chairs, standing aid
		Swivel chairs
DESKS	29	ACOUSTICS
C-legs	31	Desk partitions
4-legs	33	Partitions
Frame racks	35	Wall panelling
Desk-sideboard combinations	37	
Basic frames	39	
STORAGE	41	ACCESSORIES
Click system: NEW		Under desk drawer units
FlexWall + Wall Unit Advanced	43	Add-on elements
Click system: NEW		Electrification, cable management
FlexWall	45	
Click system: NEW		INFORMATION
Wall Unit Advanced	47	Colour
2/3/6 OH	49	Quality
Locker cabinet NEW		Sustainability
glued		Operational
2/3/6 OH	51	environmental
Wall unit		protection
glued	52	
2/3/6 OH	53	
Wall unit		
glued, acoustic	55	
Shelf unit/cupboard		
glued, on castors	57	
Wall unit		
with plinth panel		
3/5 OH		
Wall unit		
shelf and front		
3/5 OH		



012003

SIT-STAND DESKS



Basic1	7
Basic2	9
Comfort1	11
Comfort2	13
Design	15
Bluetooth/Memory	17
Bluetooth	19



013003 Finish: knotty oak

SIT-STAND DESKS

Basic1

Electric height adjustment
70 – 120 cm

Push button



Detail



Colours frame



Optional





013100

Basic2

Electric height adjustment
64 – 129 cm

Memory switch



Detail



Colours frame



Optional





011301 Finish: knotty oak

SIT-STAND DESKS

Comfort1

Electric height adjustment
72 – 119 cm

Push button



Cable trough



Detail



Colours frame





Comfort2

Electric height adjustment
63,5 – 128,5 cm

Memory switch



Cable trough



Detail



Colours frame





012002

Design

Electric height adjustment
65 – 130 cm

Memory switch



Cable trough



Detail



Colour variations frame/leg







019101


SIT-STAND DESKS



Bluetooth/Memory

Electric height adjustment
63 – 127 cm

Bluetooth, display and
desk-control app



Cable trough



Detail



Colours frame





019001 Finish: oak


SIT-STAND DESKS



Bluetooth

Electric height adjustment
63 – 127 cm


Bluetooth desk-control app



Cable trough



Detail



Colours frame





011303


MINI OFFICE

Wall desk **23**

Desks Mini **25**

Sit-stand desk **27**





MINI OFFICE

Wall desk

120 x 26 x 65 cm

ALSO
AVAILABLE
IN WHITE



Details



208003 Finish: knotty oak



035303 Finish: knotty oak

MINI OFFICE

Desks Mini

Height adjustable



68,5 – 81 cm



68,5 – 81 cm



65 – 85 cm



Optional





011302

MINI OFFICE

Sit-stand desk



Electric height adjustment
72 – 119 cm

Push button



Cable trough



Detail





035002 Finish: walnut

DESKS

C-legs	31
4-legs	33
Frame racks	35
Desk-sideboard combinations	37
Basic frames	39



035106

DESKS

C-legs

Height adjustable



65 – 85 cm



65 – 85 cm



65 – 85 cm



68 – 86 cm



68 – 82 cm




034000

DESKS

4-legs

Height adjustable






037000

Finish: oak

DESKS

Frame racks

Height adjustable



Height adjustment






035200


DESKS

Desk-sideboard combinations

Height adjustable



72/75/78 cm



74 – 78 cm

Optional





071000

Finish: maple

DESKS

Basic frames

Fixed working height



72 cm



72 cm



STORAGE

Click system: FlexWall + Wall Unit Advanced	43	NEW
Click system: FlexWall	45	NEW
Click system: Wall Unit Advanced 2/3/6 OH	47	NEW
Locker cabinet glued 2/3/6 OH	49	NEW
Wall unit glued 2/3/6 OH	51	
Wall unit glued, acoustic	52	
Shelf unit/cupboard glued, on castors	53	
Wall unit with plinth panel 3/5 OH	55	
Wall unit shelf and front 3/5 OH	57	
Sliding door cupboards, tambour cupboards 2/3 OH	59	
Sideboard 2 OH	61	
Pedestals	63	
Mobile office organisation	69	

CLICK SYSTEM

There's no reason to have a plan B because it



FLEXWALL



WALL UNIT ADVANCED

With the Threespine® click system, our wooden cabinet furniture can be easily assembled in seconds and without tools. All you need are your hands.

Cabinet assembly with one click:

The two main features of the Threespine click system are its inclined dowels and a flexible plastic spring.


The side and bottom simply “click” into each other. In doing so, the inclined dowels guide both elements and plastic springs snap into place to fix them in the final position. The back wall is braced from the inside with a plastic clamp.



Click Furniture Technology

Threespine® is a patented technology invented by Vålinge Innovation AB. The Threespine® word mark and logo are registered trademarks for click furniture technology owned by Vålinge Innovation AB and any use of such marks is under license.

QUICK AND EASY ASSEMBLY



Assembly:

Push the top panel onto the inclined dowels at an angle from the front.

Press firmly so that the plastic spring engages.

Disassembly:



Insert the pin into the opening on the back and press firmly so that the plastic spring is carefully pressed inwards.

Pull the top panel off at an angle towards the front.



STORAGE

Click system:
FlexWall +
Wall Unit Advanced

Body unmounted
Tool-free assembly



Video assembly



Video function

CLICK SYSTEM



WORLD NOVELTY






STORAGE

Click system: FlexWall

Body unmounted
Tool-free assembly



Handle metal



Colour front



Colour acoustic material



Colour body/steel frame



Assembled with



Click Furniture Technology

CLICK SYSTEM

WORLD
NOVELTY


STORAGE

Click system:
Wall Unit Advanced
2/3/6 OH

Body unmounted
Tool-free assembly



Handle metal



Assembled with



201200

Finish: knotty oak

Click Furniture Technology

GLUED & MOUNTED

NEW

STORAGE

Locker cabinet
glued
2/3/6 OH

Body glued and mounted,
presentable back wall



Optional



GLUED & MOUNTED



201001 Finish: beech

STORAGE

Wall unit
glued
2/3/6 OH

Body glued and mounted,
presentable back wall



Handle plastic



Optional



GLUED & MOUNTED




STORAGE

Wall unit
glued, acoustic

Body glued and mounted,
acoustic back wall

Sound insulation fleece,
mottled grey, felt-look



→ Acoustics



GLUED & MOUNTED



STORAGE

Shelf unit/cupboard
glued, on castors


Body glued and mounted,
presentable or acoustic
back wall

presentable back wall 8 mm



acoustic back wall 8 mm





STORAGE

Wall unit
with plinth panel
3/5 OH

Body unmounted



Handle metal



Handle plastic





203100 Finish: beech

STORAGE

Wall unit
shelf and front
3/5 OH

Body unmounted



Handle plastic





204000

STORAGE

Sliding door cupboards,
tambour cupboards
2/3 OH

Body unmounted



Handle metal



Handle plastic






207000 Finish: beech

STORAGE

Sideboard
2 OH

Body unmounted



open



with doors



with doors and drawers

Sliding door cupboard





STORAGE

Pedestals

Body glued

DR
100%
RECYCLED
MATERIAL



STORAGE


Pedestals



Body glued

Interlock drawer
stop mechanism

Optional



Stationary inserts



Dividers

Optional accessories:

Cushions



Top unit for pedestal
(merchandise unmounted,
easy self-assembly)



for pedestal

GLUED & MOUNTED



STORAGE

Pedestals



Body glued

SOFT
STOP



Mobile pedestal



Mobile pedestal, extra low,
for particularly low table setting,
castors embedded in the floor



Desk height pedestal



Handle metal



Handle plastic

GLUED & MOUNTED



STORAGE

Pedestals



Body glued



Mobile pedestal



Handle plastic



DRAWER
100%
RECYCLED
MATERIAL

Optional accessories:

Cushion



STORAGE

Desk-height pedestal

Merchandise unmounted,
easy self-assembly



Desk-height pedestal

Left/right mountable





STORAGE

Mobile office organisation

File cart



81x43x67 cm



81x43x67 cm



81x43x67 cm



81x43x67 cm



73,5x40x72 cm



308000

MEETING & BISTRO

Meeting Point Industrial	73
Meeting Point Bistro	75
Conference tables	77
Meeting tables	79
Bistro and high tables	81
Meeting table systems	83
Folding tables	85
Visitor chairs, Standing aid	86
Swivel chairs	87



NEW



MEETING & BISTRO

Meeting Point
Industrial

High tables and barstools



H = 104,2 cm



H = 77 cm





MEETING & BISTRO

Meeting Point Bistro

**High tables,
bistro tables, bistro benches**



High tables
H = 108,3 cm



Bistro tables
H = 72,8 cm



Bistro benches
H = 45 cm





304000

MEETING & BISTRO

Conference tables



Electric height adjustment



Push button
72 – 119 cm



Memory switch
63,5 – 128,5 cm



Lifting column mechanical
72 – 114 cm



Push button



Memory switch





NEW

MEETING & BISTRO

Meeting tables

H= 74 cm / 111,6 cm



Round tube legs



Pillar legs

Optional



Power strip



Finish: oak

MEETING & BISTRO

Bistro and high tables

H = 74 cm / 111,6 cm



Bistro tables



High tables



302000

MEETING & BISTRO

Meeting table systems

H = 72 cm

Leg □ 2,5 x 2,5 cm



Leg □ 3,5 x 3,5 cm



Leg ○ Ø 4,0 cm





Supplied ready-assembled
H = 73,5 cm



Optional:
Transport trolley
max. 8 tables stackable



MEETING & BISTRO

Folding tables

Mobile, supplied flat packed
H = 75 cm





CHAIRS

Visitor chairs,
Standing aid

Standing aid Hammer-Stand
H 63–93 cm

Sit/Stand stool
H 55–81 cm



4-legged chair
with decorative seam



Cantilever also with
mesh backrest



CHAIRS

Swivel chairs



Premium with decorative
seam or mesh backrest



Solid also with mesh backrest





402000

ACOUSTICS


Desk partitions	92
Partitions Wall	94
panelling	95






ACOUSTICS

Desk partitions


Stand alone desk enclosure
H = 60 cm



2-sided version:
Notched corner connection



3-sided version:
V-Cut corner connection



ACOUSTICS

Desk partitions

Acoustically effective partition system, assembled
H = 50 cm



Parts can be combined
as desired





ACOUSTICS

Partitions


Linkable



Stand alone element
Width 100 cm



Flexible corner connection,
not stand alone



Arbitrarily expandable



**Connectors:
leather straps black**




ACOUSTICS

Wall panelling

Mounting with
magnetic strips



Material



Sound insulation fleece,
25 mm thick,
100 % polyester (of which
50 % from recycled fibres),
mottled grey, felt-look,
flame retardant
according to DIN 4102 (B1),
sound insulation class C,
Raw materials from the EU
Production in the EU



ACCESSORIES

Under desk drawer units	99
Add-on elements	101
Electrification, cable management	103



reddot winner 2020

Designer drawer



ACCESSORIES

Under desk
drawer units



SOFT
STOP



Laptop drawer
with cable outlet at back



Counter upper



Organisation rail with monitor arm



PC holder





Monitor arm



ACCESSORIES

Add-on elements

Modesty panels






Retractable vertical power socket



Retractable power sockets



Cable flap aluminium (without electrification)



Inductive charging point
Opening for cables



Cable clamps



ACCESSORIES

Electrification, cable management

Cable duct flexible



Cable chain



Optional





Cable trough






INFORMATION

Colour	107
Quality	109
Sustainability	110
Operational environmental protection	111

FINISHES



FRAMES



INFORMATION

Colour

Melamine resin coated chipboard to DIN 14322, emission classification E1 E05 TSCA

Thick ABS*-edging, plastic, rounded

The edges are impact-resistant; the veneer is robust, does not scratch easily and is resistant to common household solvents.

The finishes illustrated here are not available for every programme.

For technical reasons, the colour of the products photographed and printed in this brochure may vary from the original products.

*ABS = Acrylonitrile Butadiene Styrene



INFORMATION

Quality

High quality materials

Frames powder coated

Height alignment in the leg



High quality shelf supports,
drilled rows of holes



High quality all-metal hinges

Keyed alike locks
(Locks with individual keys
on request)



INFORMATION

Quality

First class processing

**Metal processing
and powder coating**



Wood processing



**Special edge protection for
maximum protection against
damage during transit**



INFORMATION

Sustainability

Wood from responsible forestry

-  **ENVIRONMENTALLY APPROPRIATE**
-  **SOCIALLY BENEFICIAL**
-  **ECONOMICALLY VIABLE**

RESPONSIBILITY FOR OUR ENVIRONMENT

The forest ecosystem is secured through sustainable use.

By complying with safety and social standards, forest workers are protected from exploitation.

By producing in Europe and through a high amount of inhouse production, we achieve a sustainable improvement in our environmental footprint.



INFORMATION

Operational environmental protection

Economical and efficient



RESPONSIBLE MANAGEMENT OF RESOURCES

Electricity from the company's own photovoltaic systems is used in production.

The plastic drawer inserts of our pedestals are made using 100% post-consumer recycled material.

Returns are reprocessed and damage-free components are reused.

Separation of waste goes without saying.



Subject to technical modifications.
Printing errors excepted!